

Key Features

- SSO sign-in for swift access to the intuitive launcher and personal settings
- Two USB-C ports ensure seamless connectivity, supporting up to 65W charging
- Powerful productivity with Android 14
- Enriched educational experiences through integrated ViewSonic Education Software
- Advanced security controls and compliance standards that safeguard your data



Product Description

The ViewBoard IFP34 Series harmonizes a touch display with versatile software to create a comprehensive classroom solution for interactive and engaging learning. Enhancing convenience and security, its SSO sign-in functions provide quick access to personalized launchers and cloud storage. Certified under the Android Enterprise Device License Agreement (EDLA), it seamlessly harmonizes the Android™ 14 operating system with myViewBoard software and Google Play Store access to deliver enriched learning experiences enhanced by robust security features. Collaborate with split-screen multitasking; enjoy seamless connectivity and streamlined workflows empowered by two USB-C ports and vCast wireless screen casting. Powerful built-in front-facing speakers and the integrated ViewSonic Education Software completes the experience, fostering collaboration and engagement in classrooms with interactive digital tools designed to maximize students' potential. The IFP34 Series holds the prestigious EPEAT Gold and EEI Class F certification, acknowledging its adherence to strict energy consumption, supply chain carbon emissions, and end-of-life management criteria. Ideal for schools aspiring towards a green future, it offers an energy-efficient and cost-effective solution that aligns with sustainability goals.

Model		IFP6534	IFP7534	IFP8634
Display	Panel Size	65"	75"	86"
	Type/Tech	TFT LCD Module with DLED Backlight		
	Aspect Ratio	16:9		
	Native Resolution	UHD 3840x2160(Pixels)		
	Colours	1.07B colours (8bits + FRC)		
	Brightness	450 nits		
	Contrast Ratio	5000:1 (DCR)		
	Response Time	8ms		
	Viewing Angles	H = 178, V = 178 typ.		
	Backlight Life	50,000 Hours (Min)		
	Surface Treatment	Hardness: 9H pencil, Anti-glare coating		
Embedded OS		Android 14 EDLA		
Platform	Processor	Quad-core Arm Cortex (A73 x4)		
	RAM	8GB DDR4		
	Storage	128GB		
Touch	Type	IR Recognition		
	Touch Point	40 points touch (Windows), 20 points touch (Android), 10 points writing		
	Touch Resolution	32768×32768		
Input	HDMI	2.0 x3		
	DP	x1		
	RGB / VGA	x1		
	Audio In (3.5mm)	x1 (PC Audio In)		
	RS232	x1		
	MicroSD Slot	x1		
	Wifi Module Slot	x1		
	OPS	x1 PC Slot		
HDMI-OUT		2.0 x1		
Audio		x1 (Earphone Out)		
SPDIF		x1		
LAN	RJ45	x2		
USB	Type A	USB2.0 x 2 USB3.0 x 3		
	Type B	3.0 x3, for touch		
	Type C	x2 (DP 1.2, USB2.0, PD65W, 10M/100M sharing; USB2.0, PD15W)		
Speakers		20W x 2		

Model		IFP6534	IFP7534	IFP8634
Bundle Software	Basic Annotation Software	myViewBoard		
	Pro Annotation Software	myViewBoard for Windows		
	Wireless Casting	vCast, Airplay, Chromecast, Miracast		
	Remote Device Management	Manager		
Special Features	Smartport USB	Yes		
	Windows Ink	Yes		
	LAN Sharing Between ViewBoard & PC	Yes (10/100/1000M) (USB-C 10/100, Android & PC 10/100/1000)		
	Light Sensor	Yes		
Power	Voltage	100-240VAC +/- 10% Wide Range		
	Consumption	On: TBC W Off: <0.5W	On: TBC W Off: <0.5W	On: TBC W Off: <0.5W
Ergonomics	Wall Mount (VESA®)	600 x 400	800 x 400	800 x 600
Operating Conditions	Temperature (°C)	0°C to 40°C		
	Humidity	20% ~ 80% RH non-condensing		
Dimensions (W X H X D)	Physical (inch)	58.59 x 35.3 x 3.36	67.3 x 40.17 x 3.37	77.05 x 41.73 x 3.83
	Physical (mm)	1488.3 x 896.6 x 85.3	1709.4 x 1020.2 x 85.5	1957 x 1059.9 x 97.4
	Packaging (inch)	64.09 x 8.19 x 39.57	73.35 x 8.86 x 44.88	83.07 x 8.86 x 50.51
	Packaging (mm)	1628 x 208 x 1005	1863 x 225 x 1140	2110 x 225 x 1283
Weight	Net (lb/kg)	77.1lb/34.95kg	104.3lb/47.3kg	129.1lb/58.55kg
	Gross (lb/kg)	98.5lb/44.7kg	133.5lb/60.55kg	167.3lb/75.9kg
Regulations		BIS, cTUVus, COC, EPEAT Gold, ES8, LBL...etc		
Package Contents		1. Power Cord 2. Remote Control With AAA Battery 3. USB Cable For Touch 4. Touch Pen X 2 5. Quick Start Guide + Compliance statement 6. RS232 Adaptor 7. Clamp X 5 8. Camera Plate 9. Screw X 8 10. HDMI Cable		